

Advanced Data Structures

Lecture 12: Dynamic Bit Vectors and Succinct Trees

Florian Kurpicz

The slides are licensed under a Creative Commons Attribution-ShareAlike 4.0 International License © ⓘ ⓘ: www.creativecommons.org/licenses/by-sa/4.0 | commit c70729e compiled at 2023-07-17-08:26




<https://pingo.scc.kit.edu/737426>


Recap: Rank Queries on Bit Vectors

$\text{rank}_\alpha(i)$ # of α s before i

$\text{select}_\alpha(j)$ position of j -th α



Recap: Succinct Trees



LOUDS

```

  ab ch id ejkfg
  10111100110011001100000
  
```

BP

```

  ab cd ef g h ij k
  ((())(())(())(())(())(())(())
  
```

DFUDS

```

  a bc de fghi jk
  (((())(())(())(())(())(())
  
```




What is a Dynamic Bit Vector?

Dynamic Bit Vector Operations

- $insert(BV, i, b)$ inserts b between $BV[i - 1]$ and $BV[i]$
- $delete(BV, i)$ deletes $BV[i]$
- $bitset(BV, i)$ sets $B[i] = 1$
- $bitclear(BV, i)$ sets $B[i] = 0$

- $bitset$ and $bitclear$ easy without rank and select
- $insert$ and $delete$ require more work

- 10011010001111
- 01001101001111


- what update time do we want to have?
 - $O(n)$
 - $O(\log n)$
 - $O(1)$
- is doubling the length sufficient  amortized analysis  **PINGO**
- why not using a linked list?  **PINGO**

Next

- dynamic bit vector including rank and select

Maintaining Leaf Sizes (Insert)

- ensure leaves contain $\Theta(w^2)$ bits
- here $< 2w^2$ bits

- if leaf contains too many bits **split** leaf
- splitting can require rebalancing of tree
- (left/right) rotation is sufficient
- example on the board 

Lemma: Practical Dynamic Bit Vector Insert Time

Inserting a bit in the bit vector requires $O(w + \log n)$ time


Proof

- finding leaf takes $O(w)$ time
- splitting leaf takes $O(w)$ time
- balancing tree takes $O(\log n)$ time

Practical Dynamic Rank Data Structure: Delete

- deleting bit traverses down to leaf
- update num and $ones$ on the path
- delete in bit vector at leaf
- free w bits if possible
- tracking used space requires $O(m/w)$ bits space

- at most every w deletes a free
- are we done?



Maintaining Leaf Sizes (Delete)

- ensure leaves contain $\Theta(w^2)$ bits
- here $> w^2/2$ bits

- if leaf contains not enough bits **steal** bits from preceding or following leaf **or**
- **merge** leaves ⓘ merging does not result in overflow
- merging can require rebalancing of tree
- (left/right) rotation is sufficient
- example on the board 🗺️

Lemma: Practical Dynamic Bit Vector Insert Time

Deleting a bit in the bit vector requires $O(w + \log n)$ time

Proof

- finding leaf takes $O(w)$ time
- stealing bit requires $O(1)$ time
- merging leaves takes $O(1)$ time
- balancing tree takes $O(\log n)$ time

Practical Dynamic Rank Data Structure: Set/Unset

- if bit toggles, traverse and update *ones*
- toggle bit in leaf
- otherwise (unsure if bit toggles) find bit and
- if necessary backtrack path and update *ones*

Partial Sums

Definition: Partial Sum

Given an array A containing n non-negative numbers
 all $\leq \ell$

- $sum(A, i)$ returns $\sum_{j=0}^{i-1} A[j]$ ⓘ $sum(A, 0) = 0$
- $search(A, j)$ returns $\min\{i \geq 0, sum(A, i) \geq j\}$

- what has this to do with *rank* and *select*



PINGO

- sum can be answered in $O(1)$ time using $O(wn)$ bits of space
- using $S[i] = sum(A, i)$
- $search$ can be answered in $O(\log n)$ time on S

Sampling

- sample every k -th sum in S of length $\lfloor n/k \rfloor$
- $S[i] = sum(A, ik)$
- $sum(A, i) = S[\lfloor i/k \rfloor] + \sum_{j=\lfloor i/k \rfloor k+1}^{i-1} A[j]$

- sum requires $O(k)$ time
- $search$ requires $O(\log n + k)$
- requiring $O(w \lceil n/k \rceil)$ bits of space

Theoretical Dynamic Rank and Select Data Structure

- for $\ell = 1$ partial sums is *rank* and *select* on bit vectors
- $O(\log n / \log \log n)$ query time [RRR01]
- $n + o(n)$ bits of space
- amortized update times

- $nH_0(BV) + o(n)$ bits of space with optimal query [HM14; NS14]
- H_0 means 0-th order empirical entropy [KM99]
- more on measurements for compressibility in lecture [Text-Indexierung](#)

What is a Dynamic Succinct Tree

deletenode(T, v)


- deletes node v such that
- v 's children are now children of v 's parent
- cannot delete the root

insertchild(T, v, i, k)

- insert new i -th child of node v such that
- the new node becomes parent of
- the previously i -th to $(i + k - 1)$ -th child of v

- *insertchild*($T, v, i, 0$) inserts new leaf
- *insertchild*($T, v, i, 1$) inserts new parent of only the previously i -th child
- *insertchild*($T, v, 1, \delta(v)$) inserts new parent of all v 's children

Example of *insertchild*



■ which one is the hardest representation to insert and delete  **PINGO**

Dynamic LOUDS


Definition: LOUDS

Starting at the root, all nodes on the **same depth**


- are visited from left to right and
- for node v , $\delta(v)$ 1's followed by a 0 are

appended to the bit vector that contains an initial 10

insertchild(T, v, i, k)

- add 1 to node
- add 0 at next level accordingly
- only works efficiently with leaves 

deletenode(T, v)

- remove 0 representing leaf
- remove 1 representing edge/child
- only works efficiently with leaves 

Dynamic BP

Definition: BP

Starting at the root, traverse the tree in **depth-first** order and append a

- left parenthesis if a node is visited the first time
- right parenthesis if a node is visited the last time to the bit vector

insertchild(T, v, i, k)

- find parentheses representing subtree under new node
- can be empty if new leaf is inserted
- enclose these parentheses to add new node

deletenode(T, v)

- remove both parentheses belonging to node

Dynamic DFUDS

Definition: DFUDS

Starting at the root, traverse tree in **depth-first** order and append

- for node v , $\delta(v)$ left parentheses and
- a right parenthesis if v is visited the first time

to the bit vector that initially contains a left parenthesis ⓘ to make them balanced

insertchild(T, v, i, k)

- find position where node is inserted
- if $i = \delta(v) + 1$ insert at end of subtree
- insert $(^k)$ ⓘ $O(w)$ time if $k = O(w^2)$
- if $k > 1$ remove $k - 1$ left parentheses from v

deletenode(T, v)

- find node v to delete and remove it from bit vector
- update arity of parent by inserting $(^{\delta(v)-1})$ before v 's parent
- if v is leaf remove one left parenthesis instead

Update Times and Dependencies

- LOUDS and BP can be updated in time $O(t_{\text{update}})$, where
- t_{update} is the time to update the bit vector
- LOUDS can be updated in the same time, if the dynamic bit vector supports updates of blocks of size $\delta(v)$ for any node v

Dynamic Range Min-Max Tree

- range min-max trees needed for BP and DFUDS
- support operations in $O(\log n)$ time
- now range min-max trees must be dynamic
- we will see this later when introducing range min-max trees

Conclusion and Outlook

This Lecture


- dynamic bit vectors with rank and select support
- dynamic succinct trees

- partial sum
- theoretical results for dynamic bit vectors

Next Lecture

- recap
- Q& A
- discussion project

Advanced Data Structures



Bibliography I

- [HM14] Meng He and J. Ian Munro. “Space efficient data structures for dynamic orthogonal range counting”. In: *Comput. Geom.* 47.2 (2014), pages 268–281. DOI: [10.1016/j.comgeo.2013.08.007](https://doi.org/10.1016/j.comgeo.2013.08.007).
- [KM99] S. Rao Kosaraju and Giovanni Manzini. “Compression of Low Entropy Strings with Lempel-Ziv Algorithms”. In: *SIAM J. Comput.* 29.3 (1999), pages 893–911. DOI: [10.1137/S0097539797331105](https://doi.org/10.1137/S0097539797331105).
- [Nav16] Gonzalo Navarro. *Compact Data Structures - A Practical Approach*. Cambridge University Press, 2016. ISBN: 978-1-10-715238-0.
- [NS14] Gonzalo Navarro and Kunihiro Sadakane. “Fully Functional Static and Dynamic Succinct Trees”. In: *ACM Trans. Algorithms* 10.3 (2014), 16:1–16:39. DOI: [10.1145/2601073](https://doi.org/10.1145/2601073).
- [RRR01] Rajeev Raman, Venkatesh Raman, and S. Srinivasa Rao. “Succinct Dynamic Data Structures”. In: *WADS*. Volume 2125. Lecture Notes in Computer Science. Springer, 2001, pages 426–437. DOI: [10.1007/3-540-44634-6_39](https://doi.org/10.1007/3-540-44634-6_39).